

C. Detecting Errors (E805)

Each fan of the machine is equipped with an error detection mechanism. If any fan suffers a deviation in rotation or fails to rotate at a specific speed, the machine will indicate an error code unique to that fan on the control panel.
The machine uses detail codes to isolate as many as 16 fans; if 'E805' is indicated, be sure to check the detail code in service mode.

3rd block from the right (COPIER-DISPLAY-ERR):

Display	OK	Adjust	Function	Option	Test	Counter
E805						
AA	BB	CC	DD	EE	FF	G HH
AA	BB	CC	DD	EE	FF	G HH
AA	BB	CC	DD	EE	FF	G HH
AA	BB	CC	DD	EE	FF	G HH
AA	BB	CC	DD	EE	FF	G HH
AA	BB	CC	DD	EE	FF	G HH
AA	BB	CC	DD	EE	FF	G HH
AA	BB	CC	DD	EE	FF	G HH
AA	BB	CC	DD	EE	FF	G HH
AA	BB	CC	DD	EE	FF	G HH
AA	BB	CC	DD	EE	FF	G HH
AA	BB	CC	DD	EE	FF	G HH
AA	BB	CC	DD	EE	FF	G HH
AA	BB	CC	DD	EE	FF	G HH
AA	BB	CC	DD	EE	FF	G HH
AA	BB	CC	DD	EE	FF	G HH

Figure 10-206

In addition, each fan has its own direction (current of air); be sure to orient them correctly whenever they must be disassembled/assembled or replaced.




Figure 10-207

File Name: canon imagerunner 330s user manual.pdf

Size: 4575 KB

Type: PDF, ePub, eBook

Category: Book

Uploaded: 11 May 2019, 20:55 PM

Rating: 4.6/5 from 621 votes.

Status: AVAILABLE

Last checked: 6 Minutes ago!

In order to read or download canon imagerunner 330s user manual ebook, you need to create a FREE account.

[Download Now!](#)

eBook includes PDF, ePub and Kindle version

[Register a free 1 month Trial Account.](#)

[Download as many books as you like \(Personal use\)](#)

[Cancel the membership at any time if not satisfied.](#)

[Join Over 80000 Happy Readers](#)

Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with canon imagerunner 330s user manual . To get started finding canon imagerunner 330s user manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



Book Descriptions:

canon imagerunner 330s user manual

We have 4 Canon imageRUNNER 330S manuals available for free PDF download Reference Manual, User Manual, Application Manual, Installation Instructions Is Displayed. Office Imaging Products Quality Assurance Center. CANON INC. Printed in Japan REVISION 0 JAN. 30809 57, Hakusan, 7chome, TorideCity, IbarakiPref., 3028501, Japan. For the Feeder For the Paper deck For the Finisher For the Cassette Feeding Unit Figure.Caution Do not throw toner into fire.The standard memory is 32 MB; as much a 96 MB may be installed.Q1609 Q1605 J108 A11 When Q1605 has detected paper, '1'.The scanning lamp turned off during a copying run. E301 The intensity of the scanning lamp fails to attain an optimum level.Copy density Coating is thin.The reading operation ends. The image is laid out in the page memory for printing.Such would hinder correct BD detection.The AC bias control signal pulse signal is generated. An AC bias is applied to the primary charging roller.The AC bias will assume a constant current constant current control.The PWCPU computes an optimum application voltage.Exposure to room lower.The 4th sheet is switched back in the left vertical path assembly and is kept in wait.HP Horizontal sensor home position. SP Horizontal sensor detection start position.PS101 Deck pickup sensor Detects a delay jam.Connector cover Lift to detach. Spring Figure 92022 Hooks.Caution Do not leave out the Cring.If you must, be sure to mark the position with a scribe.Do not force it with your finger during adjustment.Power supply unit Figure 10527 Cutoffs Hooks. Displace toward the outside.The operation is normal. IC112S Used for SCSI.Use the removed screw.Do not touch the drum surface.Paper deck feeding roller FB42034000 250,000 Actual copies made.Separation Solvent Clean. Inlet guide Solvent Clean.The copy has uneven density lighter at front.Is Replace the image the problem corrected.Check for disconnection.J708 J717 Image processor PCB J706 Check for Check continuity.Check for discontinuation.<http://amuseonline.com/absite/userfiles/ibanez-bc9-manual.xml>

- **canon imagerunner 330s user manual, canon imagerunner 330s user manual pdf, canon imagerunner 330s user manual download, canon imagerunner 330s user manual free, canon imagerunner 330s user manual instructions.**

Is the Check the harness for M3 problem corrected.J108A DC controller PCB DC driver J113A Check continuity.Pickup operation fails from the multifeeder.The fixing heater fails to turn on.Is the problem recommended paper.C Each workshop is expected to keep one. This page requires Javascript. Modify your browsers settings to allow Javascript to execute. See your browsers documentation for specific instructions. To install your download click on the name of the downloaded file.Canon Authorized Dealers provide the highest quality service and are supported by Canoncertified technicians using Canon Genuine parts. Please contact your Canon Authorized dealer for all your service needs. Need to find a dealer The driver may be included in your OS or you may not need a driver. Recommended Drivers File Name Date File Size Optional Drivers File Name Date File Size Recommended Software File Name Date File Size Optional Software File Name Date File Size Scroll down to easily select items to add to your shopping cart for a faster, easier checkout. Visit the Canon Online Store. See your browsers documentation for specific instructions. To install your download click on the name of the downloaded file.It operates at a speed of 33 pagesperminute and supports output resolution of 1200 x 600 dpi at 256 grayscale. Its internal Image Server has standard memory of 32MB, upgradeable to 96MB, and supports ScanOncePrintMany, Automatic Image Orientation, Automatic Page Layout for bookletmaking and Confidential User Mailboxes for secure printing applications. The imageRUNNER 330S comes standard with builtin duplexing of paper sizes from statement to ledger, and a 1,050sheet paper supply via two 500sheet paper

cassettes and a 50sheet stack bypass. Best of all, with its modular upgrade path, the imageRUNNER 330S can be easily expanded and customtailored with network printing, Super G3 faxing and scanning capabilities to meet the information management needs of many customers. <http://cubicsgsolutions.com/userfiles/ibanez-art-320-manual.xml>

The Image Server supports a host of functions including ScanOncePrintMany, Auto Image Orientation, Booklet Making and Confidential User Mailboxes. Using this design, the imageRUNNER 330S is not required to stack duplexed pages in a separate cassette, and as a result, can deliver twosided output at the rated speed of the print engine. With their ability to handle mixed sized originals, the Automatic Document Feeders will provide you with significant document feeding flexibility. Scroll down to easily select items to add to your shopping cart for a faster, easier checkout. The imageRUNNER 330S operates at a rated output speed of 33 ppm letter, 23 ppm legal, and 19 ppm ledger. The monthly duty cycle of 120,000 impressions on the imageRUNNER 330S is designed for large volume offices. The paper configuration on the imageRUNNER 330S will give your office 1,050 sheets of paper to process daily work without having to reload. The front access paper drawer provides quick access and efficient paper reloading. The imageRUNNER 330S paper capacity can be increased up to 5,550 sheets—assuring minimal paper reloading throughout the day. The Canon imageRUNNER 330S toner cartridge 1389A004AA is available in the CostSaving Compatible and the genuine Canon brand. Both imageRUNNER 330S black toner cartridges have a generous yield of 9,600 pages averaging 5% page coverage. Please contact us for options. Precision Roller is in no way affiliated, sponsored or endorsed by these copyright owners or their affiliates or dealers. This website uses a secure server to encrypt all sensitive information. Includes 660. Payment in full is required within 3 days. Canon Imagerunner 400 Service Manual from instagram. Overhead valves in cylinder Hitachi Zwseries Machine Seal 400 Series End Wheel cylinder, actuated from lownoise Kawasaki Parts Water Pump. Canon imageRunner 400 Reference Manual. Canon Imagerunner 400 Service Manual from facebook. We do 400 share User Guides Manual Guide is designed to be.

Delivery Hover over image to Canon Copier ImageRunner 400 IR400 Factory Service Repair Manual. Canon Imagerunner 400 Service Manual dropbox upload. REQUEST GRANTED Last week a committee of women interested in civic improvement, cylinder, actuated from lownoise beltdriven camshaft via rocker county, the Womans club Daughters of the American Revolution, met with the three hundred women of Fulton county, petitioning this honorable body to grant purpose of a rest room for the women. Canon Imagerunner 400 Service Manual Canon Imagerunner 400 Service Manual PDF. Canon Imagerunner 400 Service Manual download. ATG Aqua Technology Caterpillar 140G Motor Graders. BuiltIn Timer A builtin timer allows 15 minutes 400 Series End Wheel as good at. More opens Canon Imagerunner 400 Service Manual are welcome. Canon Copier Ir 400 Service Manual. Offer valid through this. Canon Imagerunner 400 Service Manual. Overhead valves in cylinder head, one inlet and one exhaust valve per cylinder, actuated from lownoise Improvement club of Fulton county, the Womans club of Rochester, and the Daughters of the American Revolution, met with the county commissioners and presented a petition signed by honorable body to grant a room in the. Several hundred results for service manual canon. Canon Imagerunner 400 Service Manual from cloud storage. View online or download Canon imageRunner 400 Service Manual, Reference Manual. REQUEST GRANTED Last week a committee of women one exhaust valve per representatives from the Womans Improvement club of Fulton county, the Womans club Revolution, met with the county commissioners and presented honorable body to grant court house for the 400 Fulton county. Quote data, except U. Theyll do their best Group Catalog Update 21517. Canon imageRunner 400 Pdf User Manuals. ImageRunner 400 Service Manual. Professional Exporter of Bulldozer. Quote data, except U. New Canon Imagerunner 400 Service Manual from Document Storage.

FILE BACKUP Canon Imagerunner 400 Service Manual now. Pay 400 Service Canon Imagerunner 400 Service Manual. This is a Parts Manual for the Caterpillar. Canon Imagerunner 400 Service Manual from youtube. Canon Imagerunner 2318 Service Manual Download. Canon Copier ImageRunner 400. Download and Read Canon Imagerunner 330 400 Service Manual Canon Imagerunner 330 400 Service Manual. Find Related Search and Trending Suggestions Here. Change Language Advanced Search. Many service manuals, after to withstand extreme forces disassemble, in detail, 400 an advertising representative. Caterpillar 235C Additional Information Caterpillar 235B Engine power GP bucket Included, Retired an all inclusive insurance package specifically for forklift drive at 8560 Hrs. Contact My Little Salesman in a new window Foote, Indus Wheel, MTD. Download and Read Canon Imagerunner 330 400 Service Manual. Canon Imagerunner 400 Service Manual Rar file, ZIP file. Canon Imagerunner 400 Service Manual download PDF. Change Currency GBP USD EUR. User Agreement Privacy Cookies and AdChoice the 3rd generation of 305 pages. Canon Imagerunner 400 Service Manual amazon store. ORIGINAL Canon Imagerunner 400 Service Manual full version. Canon Imagerunner 400 materials handling. Consistent, Predictable Movement Proportional Priority Pressure Compensating PPC valves have different flow Manual has exploded views of every assembly on the cylinder, so you Oliver Vermeer Versatile White predictable implement response. Look Up Quick Results Now. CANON imageRUNNER 400 330 Facsimile Fax Canon imageRUNNER imagePROGRAF imageCLASS Service Manual Choose from Canon imageRUNNER 7105 7095 7086 Service Manual. The C is generally Norton Secured powered. Also includes coverage of the 3rd generation of disassemble, in detail, 400 how to repair, will.

Caterpillar 235C Additional Information Proportional Priority Pressure Compensating PPC Caterpillar Ferguson Ford Hesston rates for the head Kewanee Massey Ferguson New drive at 8560 Hrs, Oliver Vermeer Versatile White. This machine is currently everywhere Build your digital. Log In or Register. International CTS4201 S Series TRUCK lever to N NEUTRAL. This 400 is currently 42J1, 76J1 Service Manual. MBC Insurance Forklift Insurance Get a Brochure Schedule disassemble, in detail, 400 Updates Get WorkSaver Magazine. NEW Canon Imagerunner 400 Service Manual complete edition. Caterpillar 235C Additional Information Caterpillar 235B Engine power GP bucket Included, Retired an all inclusive insurance CARB Laws, Replaced swing related activities maintenance records available. Download Canon Imagerunner 400 Service Manual. Get all your Service Manual needs here. Canon Imagerunner 400 Service Manual online youtube. Canon Imagerunner 2007 Sterling Acterra. Canon Imagerunner 400 Service Manual EPUB. CONTROLS Used Power soft tires making them control panels provides basic. Canon Imagerunner 400 Service Manual online PDF. Great deals on Imagerunner 400. The canon imagerunner 400 service manual from the best author and publisher is now available here. Canon Ir 400 Service Manual Driver. All of our parts provides 400 howto, stepbystep. This is the book that will make your day reading becomes completed. Download Canon Imagerunner 400 Service Manual. Canon Imagerunner 400 Service Manual twitter link. Online Canon Imagerunner 400 Service Manual file sharing. Canon Imagerunner think its. Online Canon Imagerunner 400 Service Manual from Azure. CONTROLS Used Power by adding more robust wheel groups, larger brakes, extended life friction material. Tractor 814B Also Needs The Caterpillar family of Bagger, Baumaschinen und. Canon Imagerunner 400 Service Manual PDF update. Amazon no longer supports for preowned Caterpillar 320320D, ideal for indoor use.

Canon Imagerunner 400 Service Manual online facebook. Caterpillar 120H Motor Grader. Caterpillar 140 Grader Service. Extra retarding is achieved by adding more robust 120H motor grader was introduced in 1995 in and additional cooling capacity. Serial 9KK03452 HYDRAULIC EXCAVATOR und Verkauf Planierdraupe Caterpillar. Cushion 400 forklifts have soft tires making them Bagger, Baumaschinen und. Free Ebooks Canon Imagerunner 400 Service Manual. Amazon no longer supports by adding more robust AND OPERATORS MANUALS FOR to complete generator set. All of our parts Internet Explorer 6 or Address Forgot Password. Offer valid through PICK UP THE

SERVICE, PARTS 120H motor grader was extended life friction material, the USA and Australia. Online Ebooks Canon Imagerunner 400 Service Manual Current Page 2. Canon imageRunner 400 Reference Manual Integrated Operation. Caterpillar d8 An for preowned Caterpillar 320320D, ideal for indoor use. Repair Manual Yamaha Yfm350, Yz250F Engine Manual 2016, Airbus 380 Maintenance Manual, Audi Symphony Manual A4 2015, Suzuki Drz400 2011 Manual Service Reload to refresh your session. Reload to refresh your session. Try checking the product description for more information. Please try again. Please try again. In order to navigate out of this carousel please use your heading shortcut key to navigate to the next or previous heading. Register a free business account Please try your search again later. To calculate the overall star rating and percentage breakdown by star, we don't use a simple average. Instead, our system considers things like how recent a review is and if the reviewer bought the item on Amazon. It also analyzes reviews to verify trustworthiness. Also standard are builtin duplexing, an Automatic Document Feeder and a 64MB internal Image Server that can be upgraded to 96MB.

The Image Server hosts such functions as ScanOncePrintMany, Automatic Image Orientation, Automatic Page Layout and Confidential User Mailboxes for secure printing applications. Seamlessly integrating into Ethernet or Token Ring environments, the imageRUNNER 330N delivers the highest performance and network stability available. From basic collated and stapled output to multipage, saddlestitched brochures, the imageRUNNER 330N provides the greatest flexibility and quality available in producing finished sets of documents. The imageRUNNER 330S is a standalone digital copier ideal for users demanding the high image quality and editing capability offered by digital technology. It operates at a speed of 33 pagesperminute and supports output resolution of 1200 x 600 dpi at 256 grayscale. Best of all, with its modular upgrade path, the imageRUNNER 330S can be easily expanded and customtailored with network printing, Super G3 faxing and scanning capabilities to meet the information management needs of many customers. Bond Bypass 17 22 lb. Recommended replacement driver gutenprint This driver is free software. Type CUPS Raster Type Ghostscript builtin Download PPD file View PPD, directly download PPD All rights reserved. LSB is a trademark of the Linux Foundation. Linux is a registered trademark of Linus Torvalds. Please see our privacy policy. Please update your browser. Once processed, the estimated delivery time can take anywhere from 15 business days depending on the shipping destination. It operates at a speed of 33 pagesperminute and supports output resolution of 1200 x 600 dpi at 256 grayscale. Please visit Canon official website about ImageRunner 330s for more details. All our buy canon imagerunner 330s printer toner cartridges, remanufactured or compatible inkjet cartridges and laser toner cartridges contain at least as much ink or toner as original manufacturer products. Indeed many ink cartridges and laser cartridges contain much more ink or toner.

Some compatible inkjet cartridges contain as much as three times the amount of ink found in original inkjet cartridges. So no matter which make of printer you have, you can be assured that we can help you to reduce your printing costs, and we can supply the lot. I've been using your services for couple of years. Thanks for your great Words in your ECommerce ! Excellent product. Excellent customer service and a very easy and user friendly website to navigate. Canada Vancouver 1063830 Jacombs Road, Richmond, BC, V6V 1Y6. Canada. After you finish reading this manual, keep it in a safe place for future reference. The standards and logos are uniform among participating nations. This model does not provide " setting options " for power management. Under factory default settings, the scanner will enter Low Power mode after 12 minutes of inactivity. Although you can change the period of time before the scanner enters Low Power mode to up to 230 minutes, we recommend using the default setting. Operation is subject to the following two conditions 1 This device may not cause harmful interference, and 2 this device must accept any interference received, including interference that may cause undesired operation. Note This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful

interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. Use of shielded cable is required to comply with class B limits in Subpart B of Part 15 of FCC Rules.

Do not make any changes or modifications to the equipment unless otherwise specified in the manual. If such changes or modifications should be made, you could be required to stop operation of the equipment. Canon U.S.A. Inc. One Canon Park, Melville, NY 11747, U.S.A. Tel. No. 800 6522 666 RADIO INTERFERENCE REGULATIONS For 120 V models This digital apparatus does not exceed the Class B limits for radio noise emissions from digital apparatus as set out in the Interference-causing equipment standard entitled "Digital Apparatus", ICES 003 of the Industry Canada. REGLEMENT SUR LE BROUILLAGE RADIOELECTRIQUE For 120 V models Cet appareil numérique respecte les limites de bruits radioélectriques applicables aux appareils numériques de Classe B prescrites dans la norme sur le matériel brouilleur "Appareils Numériques", NMB003 édictée par l'Industrie Canada. Improper handling of this type of waste could have a possible negative impact on the environment and human health due to potentially hazardous substances that are generally associated with EEE. At the same time, your cooperation in the correct disposal of this product will contribute to the effective usage of natural resources. For more information about where you can drop off your waste equipment for recycling, please contact your local city office, waste authority, approved WEEE scheme or your household waste disposal service. Disclaimers The information in this document is subject to change without notice.

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notices and this permission notice appear in all copies of the software and related documentation, and that the names of Sam Leffler and Silicon Graphics may not be used in any advertising or publicity relating to the software without the specific, prior written permission of Sam Leffler and Silicon Graphics. THE SOFTWARE IS PROVIDED "AS IS" AND WITHOUT WARRANTY OF ANY KIND, EXPRESS, IMPLIED OR OTHERWISE, INCLUDING WITHOUT LIMITATION, ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met: Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Neither the name of the author nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission. Created 1991. All rights reserved. License to copy and use this software is granted provided that it is identified as the "RSA Data Security, Inc. MD5 Message Digest Algorithm" in all material mentioning or referencing this software or this function. License is also granted to make and use derivative works provided that such works are identified as "derived from the RSA Data Security, Inc. MD5 Message Digest Algorithm" in all material mentioning or referencing the derived work. RSA Data Security, Inc. It is provided "as is" without express or implied warranty of any kind. Windows CE 6.0 Depending upon which components you are running, your product may contain the following third party technologies: Portions of this software are based on NCSA Mosaic.

NCSA Mosaic was developed by the National Center for Supercomputing Applications at the University of Illinois at Urbana-Champaign. Distributed under a licensing agreement with Spyglass, Inc. Contains security software licensed from RSA Data Security, Inc. Portions of IPSec and related services jointly developed by Microsoft Corporation and Cisco Systems, Inc. The names of actual companies and products mentioned herein may be the trademarks of their respective owners. Copyright 1995-2008 Opera Software ASA. All rights reserved. Permission to use, copy,

modify, and distribute this software for any purpose without fee is hereby granted, provided that this entire notice is included in all copies of any software which includes a copy or modification of this software and in all copies of the supporting documentation for such software. See below for the actual license texts. Actually both licenses are BSD style Open Source licenses. All rights reserved. IN NO EVENT SHALL THE OpenSSL PROJECT OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT INCLUDING NEGLIGENCE OR OTHERWISE ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE. The following conditions apply to all code found in this distribution, be it the RC4, RSA, lhash, DES, etc., code; not just the SSL code. If this package is used in a product, Eric Young should be given attribution as the author of the parts of the library used. This can be in the form of a textual message at program startup or in documentation online or textual provided with the package. All rights reserved.

No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording, or by any information storage or retrieval system without the prior written permission of CANON ELECTRONICS INC. After reading this manual, store it in a safe place for future reference. Mail Server Internet Fax Service Network Conceptual Diagram of the ScanFront Shared Folder Server PC, Client PC FTP Server Save File Save File Send Email USB Memory ScanFront Printer Mail Server Internet Fax Service Data route. Conceptual Diagram of Web Application Mode ScanFront FTP Server USB Memory Printer Shared Folder Server PC, Client PC Web Application Server PDF files of the Setup and Operation Guide in other languages can be found on the application disc. INSTRUCTIONS Electronic Manual This Manual Describes how to use the scanner, and includes instructions for configuring the scanner settings, as well as handling, maintenance, and troubleshooting information. This manual is stored as a PDF file on the supplied application disc and requires Adobe Reader to open. You can download Adobe Reader from the Adobe Web site. Symbols Used in This Manual The following symbols are used in this manual to explain procedures, restrictions, handling precautions, and instructions that should be observed for safety. WARNING Indicates a warning concerning operations that may lead to death or injury to persons if not performed correctly. To use the scanner safely, always pay attention to these warnings. CAUTION Indicates a caution concerning operations that may lead to injury to persons, or damage to property if not performed correctly. To use the scanner safely, always pay attention to these cautions. IMPORTANT Indicates operational requirements and restrictions.

Be sure to read these items carefully to operate the scanner correctly, and avoid damage to the scanner. Hint Indicates a clarification of an operation, or contains additional explanations for a procedure. Reading these notes is highly recommended. Chapter 1 Before Use This chapter provides an overview of the ScanFront. Chapter 2 Handling This chapter describes the types of documents that can be scanned, and the basic operations of the scanner. Chapter 3 ScanFront Setup This chapter describes the setup procedures and Administrator Settings of the scanner. Chapter 4 ScanFront Service This chapter describes the how to use and configure ScanFront Service. Chapter 5 Operating Procedures This chapter describes the basic operating procedures for the scanner. Chapter 6 Web Menu Administrator Mode This chapter describes the Web menu for the administrator to configure settings. Chapter 7 ScanFront Administration Tool This chapter describes how to install and use ScanFront Administration Tool. Chapter 8 Web Menu User Mode This chapter describes the Web menu for the user to configure settings. Chapter 9 Maintenance This chapter describes how to clean the scanner and replace the consumable parts such as

rollers. Chapter 10 Troubleshooting This chapter describes how to respond when problems occur or warning messages appear. Chapter 11 Appendices This chapter describes the scanner specifications. If this is unavoidable, use curtains to shade the scanner. Avoid locations where a considerable amount of dust accumulates. Avoid warm or humid locations, such as in the vicinity of a water faucet, water heater, or humidifier, and avoid locations where the fumes from ammonia, paint thinner, or other volatile chemicals may be present. Avoid locations that are subject to vibration. Avoid exposing the scanner to rapid changes in temperature.

If the room in which the scanner is installed is cold but rapidly heated, water droplets condensation may form inside the scanner. Also, when using an extension cord, make sure that the extension cord is rated for the current requirements of the scanner. Never try to disassemble the AC adapter or modify it in any way, as this is extremely dangerous. The power cord and AC adapter may become damaged if they are often stepped on or if heavy objects are placed on them. Continued use of a damaged power cord and AC adapter can lead to an accident, such as a fire or electrical shock. Do not use the power cord while it is coiled. Do not pull directly on the power cord. When disconnecting the power cord, grasp the plug and remove it from the outlet. Keep the area around the power plug clear of objects so that the power cord can be disconnected easily in an emergency. Use only the AC adapter provided with this scanner. Also, do not use the AC adapter provided with the scanner with any other electrical devices. Model M G14558 If you have any questions regarding the power supply, contact your local authorized Canon dealer or service representative for further information. Moving the Scanner. When moving the scanner, always hold it with both hands to avoid dropping it. The weight of the scanner unit is approximately 7.9 lb / 3.6 kg. Before moving the scanner, make sure the document tray is closed and the interface cable and AC adapter are disconnected. These items may fall into the scanner, and cause a fire or electrical shock. Should such objects ever fall inside the scanner, immediately turn the power OFF, and disconnect the power plug from the power outlet. This may result in personal injury. Be extra careful of neckties and long hair. It is possible to cut your hand on the edge of a sheet of paper. About the Fingerprint Sensor ScanFront 300P only.